

IMPLANTOLOGIA CON IMPIANTI ONE-PIECE DI SCUOLA ITALIANA

Dent Res J (Isfahan). 2012 Dec;9(Suppl 2):S151-4. doi: 10.4103/1735-3327.109727

Restoration of incisor area using one-piece implants: Evaluation of crestal bone resorption.

Carinci F

Implant Dent. 2008 Jun;17(2):192-9. doi: 10.1097/ID.0b013e318166d654.

Histologic and histomorphometric report of three immediately loaded screw implants retrieved from man after a three-year loading period.

Vantaggiato G, Iezzi G, Fiera E, Perrotti V, Piattelli A

Isotopy and multicorticality: two fundamental principles.

Muratori G.

J Dent Res. 2003 Mar;82(3):232-7.

Persistent acute inflammation at the implant-abutment interface.

Broggini N, McManus LM, Hermann JS, Medina RU, Oates TW, Schenk RK, Buser D, Mellonig JT, Cochran DL

J Periodontol. 2000 Sep;71(9):1412-24.

Crestal bone changes around titanium implants. A histometric evaluation of unloaded non-submerged and submerged implants in the canine mandible.

Hermann JS, Buser D, Schenk RK, Cochran DL

G Stomatol Ortognatodonzia. 1989 Apr-Jun;8(2):83-8.

Tramonte screw for replacement of single teeth.

Passi P, Miotti A, Carli PO, De Marchi M.

Attual Dent. 1989 Feb 19;5(7):44-9.

[Self-threading endosseous screw].

Tramonte SM.

Ann Stomatol (Roma). 1966 Apr;15(4):313-23.

[On some interesting cases of intra-osseous implantation using self-cutting screws].

[Article in Italian]

Tramonte SM.

Dent Cadmos. 1981 Jun;49(6):19-31.

[Endosseous self-threading screws: biomechanical principles, surgical technic and clinical results].

[Article in Italian]

Garbaccio D.

Riv Odontostomatol Implantopotesi. 1983 Jan-Feb;(1):53-6.

[The Garbaccio bicortical self-threading screw].

[Article in Italian]

Garbaccio D.